


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6711672").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 22:05
L2	2	("20010056420").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 22:06
S1	1	"090068".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 21:40
S2	2	("20020188616").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 21:40
S3	2	("20010056420").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:16
S4	1	"610322".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:20
S5	2	("20040059708").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 16:31
S6	0	("177719.apn.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 16:46

S7	68	(declarative near language) and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:08
S8	3	S7 and (imperative near language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:03
S9	5	sql and (xslt near quer\$3) and convert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:05
S10	2	S9 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:06
S11	5	sql and (xslt near quer\$3) and (convert\$3 or compil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:06
S12	31	sql and (xslt with quer\$3) and (convert\$3 or compil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:06
S13	4	S12 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:08
S14	52	(xslt with quer\$3) and (convert\$3 or compil\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:06

S15	13	S14 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:22
S16	9	(declarative near xml) and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:08
S17	2	S16 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:10
S18	306	(quer\$3 near transform\$3) and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:11
S19	43	S18 and (quer\$3 near convert\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 17:12
S20	10	S19 and declarative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:21
S21	92	(language near (transform\$3 or compil\$3 or convert\$3)) and sql and declarative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:45
S22	67	S21 and @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:45

S23	33	S22 and (imperative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:22
S24	33	S23 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:29
S25	0	S24 and (quer\$3 near term)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:24
S26	33	S23 and function and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:24
S27	67	S22 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:30
S28	61	S22 and function and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:30
S29	85	((sql or quer\$3) near (transform\$3 or compil\$3 or convert\$3)) and sql and declarative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:45
S30	56	S29 and: @ad<"20020301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:45

S31	2	S30 and imperative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:52
S32	13	S30 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S33	3	S30 and (convert\$3 near program\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S34	0	S30 and (convert\$3 near language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 18:53
S35	10	S30 and (convert\$3 with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 19:33
S36	22	S30 and ((convert\$3 or translat\$3 or cross-compil\$3) with language)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 22:05



Web Results 1 - 10 of about **59** for **"declarative language" sql transforming query "imperative language"**.

Code Generation Network - XSLT Cookbook interview

XML Schema is a **declarative language** for describing valid XML. ... Later stages might separate the **SQL query** generation from the **query** result to XML ...

www.codegeneration.net/tiki-read_article.php?articleId=40 - 27k - [Cached](#) - [Similar pages](#)

Code Generation Network

... XML Schema is a **declarative language** for describing valid XML ... stages might separate the **SQL query** generation from ... the case, then consider **transforming** the input ...

www.codegeneration.net/tiki-print_article.php?articleId=40 - 22k - [Supplemental Result](#) - [Cached](#) - [Similar pages](#)

[PDF] XML with Virtuoso and XQuery

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... most often as a way of **transforming** relational query ... **SQL** is a **declarative language**, intended solely for querying relational data and generating ...

www.openlinksw.com/virtuoso/Whitepapers/pdf/VirtuosoXQuery.pdf - [Similar pages](#)

[PDF] Declarative Transformation for Object-Oriented Models Keith Duddy ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

imperative language, so does not provide for implicit creation, ... source model elements and a **declarative language** for constructing target model elements. ...

www.dstc.edu.au/Publications/book_duddy_idea-group.pdf - [Similar pages](#)

[PDF] Liquid Data for WebLogic

File Format: PDF/Adobe Acrobat - [View as HTML](#)

SQL-like language called the XML **Query Language (XQuery)**. ... **imperative language**).

As such, the Liquid Data engine is free to choose the most effective way ...

e-docs.bea.com/liquiddata/docs85/pdf/concepts.pdf - [Similar pages](#)

[PDF] GridDB: A Data-Centric Grid Workflow System

File Format: PDF/Adobe Acrobat - [View as HTML](#)

services are either accessed through GridDB's **declarative language**(such as data- ... B.1.2 **Query Processing**: Translation to **SQL** ...

www.cs.berkeley.edu/~dtliu/pubs/dtliu_quals.pdf - [Similar pages](#)

[PDF] Towards a Declarative Approach to Support Framework Instantiation

File Format: PDF/Adobe Acrobat - [View as HTML](#)

kind of parse tree manipulation for generating, **transforming** ... **declarative language** that is embedded in Javadoc style tags in order to in- ...

prog.vub.ac.be/Publications/2002/vub-prog-tr-02-14.pdf - [Similar pages](#)

[PDF] A tool concept for validation/verification of signal based systems ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In a logic and **declarative language** like Prolog, you are working with pred- ... tool for **transforming** the PLEX code into a graphical notation. Basically ...

www.idt.mdh.se/utbildning/exjobb/files/TR0009.pdf - [Similar pages](#)

[PS] last updated: October 6, 1992 Transparencies COSC 3480 Christoph F ...

File Format: Adobe PostScript - [View as Text](#)

... **SQL** is a **declarative language**, Relational Algebra is an **imperative language**.

ffl ... Steps of **SQL Query Optimization** 1) Transform the **SQL-query** into an ...

www.cs.uh.edu/~ceick/3480/mat92.ps - [Similar pages](#)

[PDF] arXiv:cs.DB/0311038 v1 25 Nov 2003

File Format: PDF/Adobe Acrobat - [View as HTML](#)


declarative language for querying and manipulating XML whose perspectives ...

would turn XPathLog into a rule-based **imperative language** are not investigated ...

arxiv.org/pdf/cs.DB/0311038 - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"declarative language" sql transform [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

Nothing Found

Your search for **declarative sql convert transforming query imperative language** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a + if a search term must appear on a page.

museum +art

- Exclude pages by using a - if a search term must not appear on a page.





museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)